

# MEGA MYCOBALANCE™

FOR YEAST AND FUNGAL SUPPORT \*\*



## PRODUCT OVERVIEW

MegaMycoBalance™ is formulated with undecylenic acid and bee propolis to support healthy yeast and fungal balance in the body. A study published in the Journal of the American Medical Association found a direct correlation between vaginal yeast infections and simultaneous overgrowth of *Candida* in the digestive tract.<sup>1</sup> As a result, MegaMycoBalance can support a healthy balance of vaginal flora by restoring balance to the intestinal flora.\*\*

## BEE PROPOLIS

Bee propolis is a waxy, resinous material that bees use to line their hives in order to protect against bacteria and fungi. Propolis has been found to have inhibitory activity against many fungal species, including *Candida albicans*, *C. krusei*, *C. glabrata*, *C. tropicalis*, and *Trichosporon* species.<sup>2</sup> Its antimycotic effects may be largely due to the flavonoids pinocembrin, galangin, and pinobanksin that appear to limit fungal cell division and break down fungal cell walls.<sup>3</sup>

## SUPPLEMENT FACTS

Serving Size: 2 softgels  
Servings Per Container: 60

Amount Per Serving	% Daily Value
Undecylenic acid	250 mg †
Bee propolis ( <i>Apis mellifica</i> ) extract	250 mg †

† Daily values not established.

**OTHER INGREDIENTS:** olive oil, vegetarian capsule (modified tapioca starch, glycerin, water), beeswax, sunflower lecithin.

## DOSING

Ages 8+: Start by taking 1 softgel daily with or without a meal for one week. If tolerated, increase by one softgel each week to reach the full dose of 2 softgels 2-3 times daily. Children under 8 years of age, please consult with your healthcare practitioner.



# WHAT DOES IT DO?


Undecylenic acid is an organic fatty acid derived from castor bean oil that supports a healthy balance of yeast in the gut.<sup>6-8</sup> Pathogenic and opportunistic yeasts, like *Candida albicans*, spread quickly through the intestines by creating tiny roots, or hyphae, that can become deeply embedded in the intestinal wall. This embedment of hyphae makes it very difficult to control yeast overgrowth in the body. MegaMycoBalance can help support a healthy yeast balance in the gut by targeting these roots.\*\*



## FUNGAL BALANCE

*Candida albicans* is a yeast that occurs naturally in the human mouth and intestines. In small amounts, this natural fungus can aid in nutrient digestion and absorption, but an overgrowth can damage the intestinal lining and release toxic byproducts directly into the circulatory system. If not addressed quickly, *Candida* overgrowth can become chronic and lead to fungal skin issues, fatigue, brain fog, mood swings, and even seasonal allergies. However, the most damaging aspect of a *Candida* overgrowth is the fact that it can puncture holes through the intestinal lining.<sup>9</sup>


MegaMycoBalance™ in conjunction with MegaSporeBiotic™ can help RECONDITION the gut and promote healthy yeast balance within the microbiome.\*\*



**FIGURE 2:**  
Hyphal *Candida albicans* Causes Mucosal Barrier Dysfunction and Leaky Gut

*Candida albicans* is a commensal fungus commonly found in the mouth and within the gut microbiome. When kept in a healthy balance, *Candida* is generally harmless and can often aid in digestion, but an overgrowth can be detrimental to the gut microbiome. When it begins to spread, *Candida* will form short growths known as germ tubes that eventually differentiate and grow into hyphae, which are longer outgrowths that resemble tiny roots. The hyphal form of *Candida albicans* is especially destructive because it can invade intestinal epithelial cells and cause significant tissue damage.<sup>9</sup> Once the intestinal lining becomes porous and hyperpermeable, endotoxins from the intestinal lumen, like lipopolysaccharide (LPS) can enter directly into circulation, triggering an innate immune response that often results in sub-clinical, low-grade inflammation.

**FIGURE 1:**  
Undecylenic Acid Inhibits the Growth of *Candida albicans*



Yeast cells were incubated in rich medium supplemented with the indicated concentrations of undecylenic acid for 3 hours. Cells were examined microscopically to determine the percentage of yeast cells that had grown and formed germ tubes.<sup>2</sup>

\*\*These statements have not been evaluated by the Food and Drug Administration (FDA). This product is not intended to diagnose, treat, cure, or prevent any disease.

1) Miles MR, Olsen L, Rogers A. Recurrent vaginal candidiasis. JAMA. 1977;238:1836-1837. 2) Koç AN, Silici S, Kasap F, et al. Antifungal activity of the honeybee products against *Candida* spp. and *Trichosporon* spp. J Med Food. 2011;14(1-2):128-34.  
3) Chandna P, Adlakha VK, Das S, et al. Complementary and Alternative Medicine (CAM): A Review of Propolis in Dentistry. Am J Phyto Clin Ther. 2014;2(6):670-685. 4) Szweida P, Gucwa K, Kurzyk E, et al. Essential Oils, Silver Nanoparticles and Propolis as Alternative Agents Against Fluconazole Resistant *Candida albicans*, *Candida glabrata* and *Candida krusei* Clinical Isolates. Indian J Microbiol. 2015;55(2):175-183. 5) Pereira RR, Godoy JSR, Svidzinski TIS, Bruschi ML. Preparation and characterization of mucoadhesive thermoresponsive systems containing propolis for the treatment of vulvovaginal candidiasis. J Pharm Sci. 2013;102(4):1222-34. 6) McLain N, Ascanio R, Baker C, et al. Undecylenic acid inhibits morphogenesis of *Candida albicans*. Antimicrob Agents Chemother. 2000;44:2873-2875. 7) Chretien JH, Esswein JG, Sharpe LM, et al. Efficacy of undecylenic acid-zinc undecylenate powder in culture positive tinea pedis. Int J Dermatol. 1980;19:51-54. 8) Shafran SD, Sacks SL, Aoki FY, et al. Topical undecylenic acid for herpes simplex labialis: a multicenter, placebo-controlled trial. J Infect Dis. 1997;176:78-83. 9) Sudbery PE. Growth of *Candida albicans* hyphae. Nat Rev Microbiol. 2011;9(10): 737-48.